

Custom Printed Roller Blinds



Branding
options



Made in
the UK



Fast UK
delivery

Enhance your brand identity with our custom printed roller blinds. Ideal for commercial branding, providing a low-cost solution offering excellent advertising opportunities for your brand or product. Enhance your office space with an internal facing blind or market to new clients when your offices are closed with external facing blinds. Our digitally printed roller blinds offer ease of operation, low maintenance and durability and are available in a range of widths and lengths of your choice for a custom fit.



Our custom printed roller blinds are available up to 3m wide and can be produced with the graphic facing inwards (ideal for interiors like office spaces) or with the graphic facing outwards, which is ideal to display your company logo/information.

Our compact roller blind system comes with a plastic chain as standard (metal available at additional cost), a weighted bar that slots into a pocket loop at the bottom of the blind and the fixings required for installation.

We use a polyester fabric, coated with acrylic with an opaque grey on the reverse. This fabric is PVC free and hangs smoothly without curling. The grey coating on the reverse of this product will block light to a large extent but it is not a true blackout fabric.

Why we recommend XG's Roller Blinds

- Made to measure
- Printed with your logo or design
- All blinds supplied with fixtures & fittings
- Promote your business 24/7
- Commercial quality
- Standard white chain supplied (Metal is available for an additional charge)
- Available up to 3m wide
- Easy and quick to fit (all hardware included)


Choose your Roller Blind in 4 easy steps:

On the next pages you will find a guide to ordering your Roller Blinds which we hope helps you decide what you need. Please call us on **01280 707180** or if you have any questions or to discuss your requirements.

Step 1 - Measuring Guide:


Recess fitting

Measure the full width and height of the recess [the size of the hole if you like] and we will make the appropriate deductions to ensure a perfect fit.




- Measure in 3 places for both the width and the drop. For the width, compare the measurement at the top of the recess with the smallest of the measurements you've taken - if the difference between those is less than 25mm, use the measurement at the top of the recess. If it is not, use the smallest measurement.
- Don't make any deductions, we'll deduct from the width to ensure your blind fits perfectly (3mm).
- Use a metal tape measure, cloth ones can stretch and give you inaccurate measurements

Top-Tip: Check that your recess is deep enough to fit the blind into, also bearing in mind any obstructions such as handles (see table).



Standard Roller Depth	
Top-Fix	Face-Fix
50mm	70mm


Exact fitting




Measure the full width and height of the recess [the size of the hole if you like] and add a little extra to the top and to each side, we will make the blind to the size you specify with no deductions.

- To minimize light leakage we recommend that the blind overlaps the window recess by at least 70mm at the top and 50mm each side
- The overlap at the bottom of the blind is a matter of personal choice but please take into account obstacles **such as radiators**

Top-Tip: If you are replacing an existing blind with one of the same size, simply measure the blind (including its fittings) and specify exact fitting, we will make you one the same size.



Top-Tip: The overall width of a roller blind, including its brackets, is approximately 35mm wider than the width of the fabric. You can choose whether to measure for the full bracket-to-bracket width, or for the width you'd like the fabric to cover.



Step 2 - Specification:



Durable and reliable our Blind mechanism comes with white metal universal brackets for face, top or side fixing.



A weighted bar that slots into a pocket loop at the bottom of the blind to ensure the blind hangs correctly.



Our compact roller blind system comes with a plastic chain as standard (metal available at additional cost).




Grey back fabric to block light and help with your interior space while still letting partial light through.

Step 3 - Things to Consider:

- Do you want your blind inside or outside your window recess?
- What branding do you want on your blind, and where will it be visible?

Think about where your branding will be placed on the blind so that it can be visible when your blind is at different drop levels.



Please refer to the Artwork guide template for size allowances per aperture and visible area when blind is in use, available to download from our website

Step 4 - creating your artwork

You have 2 options when creating artwork

1. Design your own or use your preferred agency to design it for you.

We have templates for many of our products which can be found on the 'TEMPLATES' tab section of the relevant product page. We recommend using file transfer sites to upload artwork due to the speed and ease. One of these that we recommend is **WeTransfer**

2. Let XG assist you with your artwork.

If you require assistance in preparing your artwork, we can help lay out your supplied elements.

We will require you to complete our artwork brief which can be found on the 'ARTWORK' tab section of the relevant product page. This will then need to be sent to us via email to sales@xg-group.co.uk you can send a photo or a scanned version, we would also require any logos in vector format (ai,eps), fonts and relevant copy needed to complete the layout.

This process would require your approval and final sign off before production. Please note, we do charge for artwork and we will discuss this during the quote process.

General guides for artwork are as follows:

- Production ready high resolution PDF
- Supply your artwork at full size or for larger prints supply your PDF at half or quarter size.
- Supply your PDF file with Image Bleed
- Resolution to be a maximum 150 dpi at full size
- Embed all text and fonts
- Transfer your files Via We Transfer
- Should you require more complex graphic design, please call us on **01280 707180** or email **sales@xg-group.co.uk** to discuss your requirement.

Step 5 - how to order

Now you are ready to place your order:

You can contact us by emailing **sales@xg-group.co.uk** with your requirements along with your full invoice address and delivery address (if different). We will then send you back a formal quotation prior to your order confirmation.

For non account customers we will require full payment before your order can be processed.

Payment can be made by card over the phone, by bank transfer or cheque (please allow 4/5 days for cheques to clear).

Delivery is based on a standard 5-7 working day production lead time. These may vary depending on quantities and are subject to availability. If an express turnaround is required, we will always endeavour to help.

Please call us on **01280 707 180** if you need help or advice on our products or processes.

Price List

Please call us on **01280 707 180** and we will be glad to quote for your specific requirements.
All orders are made to measure. We have maximum widths and drops as indicated in the pricing table below.

Option	500mm	1000mm	1500mm	2000mm	2500mm	3000mm
500mm	£99.00	£109	£119	£129	£139	£149
1000mm	£109	£149	£159	£169	£179	£189
1500mm	£119	£159	£169	£179	£199	£229
2000mm	£129	£169	£179	£199	£229	NA
2500mm	£139	£179	£199	£229	NA	NA
3000mm	£149	£189	£229	NA	NA	NA

March 2020